



PRODUCT-DETAILS

HIKFL212

HIKFL212 Rubber type C-flange



General Information	
Extended Product Type	HIKFL212
Product ID	1SCA162076R1001
EAN	6417019921532
Catalog Description	HIKFL212 Rubber type C-flange
Long Description	Rubber membrane type C-flange (FL21) with two entries for the main cable (30-64mm) and two entries for smaller cables (8-16mm). Fasteners are included.

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC340076D0201
RoHS Information	1SCC340075D0201
RoHS Status	Following EU Directive 2011/65/EU
Toxic Substances Control Act - TSCA	1SCC340095D0201

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	Finland (FI)

Popular Downloads	
Data Sheet, Technical Information	1SCC340015C0201
Instructions and Manuals	1SCC390177M0201
Mechanical Drawings	hikfl212_prt.stp

Dimensions	
Product Net Width	216 mm
Product Net Height	57 mm
Product Net Depth / Length	94 mm
Product Net Weight	0.57 kg

Technical	
Degree of Protection	acc. to IEC 60529 IP65

Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	94 mm
Package Level 1 Depth / Length	216 mm
Package Level 1 Height	57 mm
Package Level 1 Gross Weight	0.57 kg
Package Level 1 EAN	6417019921532

Classifications	
ETIM 8	EC000441 - Cable gland
ETIM 9	EC000441 - Cable gland
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5267 >> Safety Switch Accessories
eClass	V11.1 : 27144432
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland)	3411049

Categories

Low Voltage Products and Systems → Enclosed Switches → Enclosed Change-over and Transfer Switches → Accessories for Enclosed Change-over and Transfer Switches

Low Voltage Products and Systems → Enclosed Switches → Enclosed Safety Switches → Accessories for Enclosed Safety Switches

Low Voltage Products and Systems → Enclosed Switches → Enclosed Switch Fuses

Low Voltage Products and Systems → Enclosed Switches → Enclosed Switch-Disconnectors → Enclosed Switch-Disconnectors

