

HDC MPN 2**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Flexible**

The four module sizes make for individual plug solutions that save a huge amount of space. The smaller pitch translates into an optimised design too.

General ordering data

Version	Pneumatic module
Order No.	2637320000
Type	HDC MPN 2
GTIN (EAN)	4050118767520
Qty.	1 pc(s).

HDC MPN 2

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	0.55 g
------------	--------

Temperatures

Limit temperature	-40 °C ... 80 °C
-------------------	------------------

General data

Material	Polycarbonate, glass fibre reinforced	Number of poles	2
Plugging cycles	≥ 500	Required plug-in slots	1
Series	ModuPlug	Type	Male, Female
UL 94 flammability rating	V-0		

Pneumatic module

Module operating pressure	8 bar	Inner hose diameter, min.	6 mm
Inner hose diameter, max.	6 mm		

Version

Type of connection	Hose connection (pneumatic)
--------------------	-----------------------------

Classifications

ETIM 6.0	EC000438	ETIM 7.0	EC000438
ETIM 8.0	EC000438	ETIM 9.0	EC000438
ECLASS 9.0	27-44-02-20	ECLASS 9.1	27-44-02-20
ECLASS 10.0	27-44-02-20	ECLASS 11.0	27-44-02-20
ECLASS 12.0	27-44-02-20	ECLASS 13.0	27-44-02-20
ECLASS 14.0	27-44-02-20		

Environmental Product Compliance

REACH SVHC	Potassium perfluorobutane sulfonate 29420-49-3
SCIP	1609748e-c278-4c9b-b3d1-e6215d2988cd
RoHS Compliance Status	Compliant without exemption

Approvals

ROHS	Conform
------	---------

Downloads

Approval/Certificate/Document of Conformity	Manufacturer's declaration
Engineering Data	CAD data – STEP
Catalogues	Catalogues in PDF-format

HDC MPN 2

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

