302ESW-81 1/3



PRODUCT-DETAILS

302ESW-81

Socket outlet Without imprint Anthracite -Impressivo



General Information	
Extended Product Type	302ESW-81
Product ID	2TKA00001754
EAN	6438199003443
Catalog Description	Socket outlet Without imprint Anthracite - Impressivo
Long Description	There are terminals for each contact of the socket outlet for max 4 rigid wires. No X-terminals.

Installation	
Instructions and Manuals	9AKK10103A3029
Mounting Type	Surface mounted (plaster)
Type of Fastening	Mounting with Screw

Environmental	
Degree of Protection	IP44

302ESW-81 2/3

Technical Technical	
Data Sheet, Technical Information	9AKK10103A3029
Number of Phases	1
Number of Active Pin Terminals	0
Number of Gangs	2
Connection Type	Push-In
Socket Outlet Type	Protective Contact (SCHUKO)
Number of Batteries	0

Electrical	
Rated Voltage (U _r)	250 V
Rated Current (In)	16 A
Frequency (f)	50 50 Hz

Design	
Design Range	Impressivo
Surface Finishing	Untreated Glossy
Material	Plastic, Thermoplastic
Legend	Without imprint
Label Space Provided	No
RAL Number	RAL 7021 - Black Grey
Color	Anthracite

Dimensions	
Product Net Width	85 mm
Product Net Height	52 mm
Product Net Depth / Length	100 mm
Product Net Weight	0.152 kg

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations	
Declaration of	9AKK10103A2378
Conformity - CE	

302ESW-81 3/3

Classifications	
ETIM 9	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Socket\ Outlets$

