302EUJ-885 1/3



PRODUCT-DETAILS

302EUJ-885

Socket outlet Without imprint Black -Impressivo



General Information	
Extended Product Type	302EUJ-885
Product ID	2TKA00002910
EAN	6438199004662
Catalog Description	Socket outlet Without imprint Black - Impressivo
Long Description	There are terminals for each contact of the socket outlet for max 4 rigid wires. No X- terminals. The socket outlet insert without the cover plate is screen-protected.
Installation	
Installation Instructions and Manuals	9AKK10103A3029
Instructions and	9AKK10103A3029 Flush mounted (plaster)

Environmental

302EUJ-885 2/3

Technical	
Data Sheet, Technical Information	9AKK10103A3029
Number of Phases	1
Number of Active Pin Terminals	0
Number of Gangs	2
Connection Type	Push-In
Socket Outlet Type	Protective Contact (SCHUKO)
Number of Batteries	0

Electrical	
Rated Voltage (U _r)	250 V
Rated Current (In)	16 A
Frequency (f)	50 50 Hz

Design	
Design Range	Impressivo
Surface Finishing	Untreated Matt
Material	Plastic, Thermoplastic
Legend	Without imprint
Label Space Provided	No
RAL Number	RAL 9005 - Jet Black
Color	Black

Dimensions	
Product Net Width	85 mm
Product Net Height	48 mm
Product Net Depth / Length	100 mm
Product Net Weight	0.1 kg
Built-In Depth (t ₂)	17 mm

Eco Transparency	
Environmental Product	9AKK108468A2668
Declaration - EPD	

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals	9AKK108468A3363

302EUJ-885 3/3

Reporting Template (CMRT)

Certificates and Declarations

Declaration of 9AKK108468A6806
Conformity - CE

Classifications

ETIM 9	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Socket\ Outlets$

