

PRODUCT-DETAILS

AU81 AU81 Mounting box White IP3X



General Information	
Extended Product Type	AU81
Product ID	2TKA00003222
EAN	6438199004839
Catalog Description	AU81 Mounting box White IP3X
Long Description	The box is mentioned for flat socket outlet (for example 302EUJT) installations with the flexible pipe. There is six knock outs for 16 mm pipes and two for the 20 mm pipe. In the bottom there is two knock outs for the bottom inlets. The mounting box includes two red half circles enabling installation on boards with a thickness of 12-26 mm. Made of halogen free material (IEC/61249-2-21) and fulfills the requirements of the glow wire test according to the standard IEC/EN60670: 2005 (850 °C).

Eco Transparency Environmental Product 9AKK108468A0935 Declaration - EPD Technical

© 2024 ABB. All rights reserved.

Subject to change without notice

Application	None
Model Number	One and a half
Number of Poles	0
Number of Conduit Inlets	8
Number of Gangs	1
Number of Inlet Inserts Included	0
Design	Device connection box (round/square)
Cover Mounting Type	Snap On
Mounting Type	Flush mounted (plaster)
Switching Equipment Mounting Type	Screw
Shape	Rectangular
Surface Finishing	Untreated
Material	Plastic, Thermoplastic
Includes	None
Color	White

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	0f48dbcd-f68b-4096-98c7-6fd7eb0a1c41 Finland (FI)

Environmental	
Degree of Protection	IP3X

Dimensions	
Product Net Width	74 mm
Product Net Height	0.057 m
Product Net Depth / Length	96 mm
Product Net Weight	0.0787 kg

Ordering	
Package Level 1 Units	box 30 piece
Package Level 1 Gross Weight	2.62 kg

Certificates and Declarations

© 2024 ABB. All rights reserved.

Declaration of Conformity - CE	9AKK108467A7115
Installation	
Instructions and Manuals	9AKK10103A2549
Popular Downloads	
Data Sheet, Technical Information	9AKK10103A2549
Classifications	
ETIM 0	FC002C01 Peu/heusing for built in requesting in the well/calling

ETIM 8	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 9	EC002601 - Box/housing for built-in mounting in the wall/ceiling
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems \rightarrow Installation Materials \rightarrow Flush Mounted Boxes \rightarrow Plastic Installation Boxes (for WA Inserts) \rightarrow Hollow Wall

