AU5.6 1/3



PRODUCT-DETAILS

AU5.6

AU5.6 Mounting box Blue IP3X



| General Information | |
|-----------------------|---|
| Extended Product Type | AU5.6 |
| Product ID | 2TKA00003511 |
| EAN | 6438199005027 |
| Catalog Description | AU5.6 Mounting box Blue IP3X |
| Long Description | The mounting box includes a rotating, steplessly adjustable extension ring enabling installation on boards with a thickness of 13-27 mm. Installation depth is 55 mm and overall height 58-72 mm. The extension ring can be tilted 0-4º and the box has 2 opened branch inlets for 16/20 mm conduits. In addition, there are four knock-out inlets on the side, two 16 mm and one 20 mm inlet in the bottom. Made of halogen free material (IEC/61249-2-21) and fulfills the requirements of the glow wire test according to the standard IEC/EN60670: 2005 |

Eco Transparency

Environmental Product 9AKK108469A2312
Declaration - EPD

| Technical | |
|-------------|------|
| Application | None |

AU5.6 2/3

| Madal Number | Single |
|---|--|
| Model Number | Single |
| Number of Poles | 0 |
| Number of Conduit Inlets Number of Gangs | |
| Number of Gangs Number of Inlet Inserts | |
| Included | U |
| Design | Device connection box (round/square) |
| Cover Mounting Type | Snap On |
| Mounting Type | Flush mounted (plaster) |
| Switching Equipment Mounting Type | Screw |
| Shape | Round |
| Surface Finishing | Untreated |
| Material | Plastic, Thermoplastic |
| Includes | None |
| Cover Style | Construction Protective Cover |
| Color | Blue |
| | |
| Material Compliance | |
| RoHS Information | 9AKK106713A4634 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 20240314 |
| REACH Declaration | 9AKK106713A4633 |
| REACH Information | False - does not contain substances > 0.1 mass percentage |
| REACH Date | 20240314 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |
| | |
| Environmental | |
| Degree of Protection | IP3X |
| Dimensions | |
| | 0.074 |
| Product Net Width | 0.071 m |
| Product Net Height Product Net Depth / | 0.058 m 71 mm |
| Product Net Weight | 0.104 kg |
| 1 Todact Net Weight | 0.104 Kg |
| Ordering | |
| Package Level 1 Units | box 50 piece |
| Package Level 1 Gross Weight | 50x 30 piece 5 kg |
| E-Number (Finland) | 1152356 |
| E-Number (Sweden) | 1420117 |
| | |
| Certificates and Declarations | |
| Declaration of Conformity | 9AKK108467A7115 |
| - CE | |

AU5.6 3/3

| Installation | |
|-----------------------------------|--|
| Instructions and Manuals | 9AKK108468A4825 9AKK108468A4826 |
| Popular Downloads | |
| Data Sheet, Technical Information | 9AKK10103A2549 |
| | |
| Classifications | |
| ETIM 8 | EC002601 - Box/housing for built-in mounting in the wall/ceiling |
| ETIM 9 | EC002601 - Box/housing for built-in mounting in the wall/ceiling |
| WEEE Category | Product Not in WEFF Scope |

Categories

 $\mbox{Low Voltage Products and Systems} \rightarrow \mbox{Installation Materials} \rightarrow \mbox{Flush Mounted Boxes} \rightarrow \mbox{Plastic Installation Boxes (for WA Inserts)} \rightarrow \mbox{Hollow Wall}$











