AN25.20 1/3



PRODUCT-DETAILS

AN25.20 AN25.20 Reducer



General Information	
Extended Product Type	AN25,20
Product ID	2TKA00003601
EAN	6438199005119
Catalog Description	AN25.20 Reducer
Long Description	Enables easy inlet reduction from Ø 25 mm to Ø 20 mm when a Ø 20 conduit needs to be connected into a Ø 25 inlet (AJ25). Made of halogen free material (IEC/61249-2-21).

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

AN25.20 2/3

Dimensions	
Product Net Width	0.029 m
Product Net Height	0.031 m
Product Net Depth / Length	0.029 m
Product Net Weight	0.003 kg
Ordering	
Package Level 1 Units	bag 100 piece
Package Level 1 Gross Weight	0.31 kg
E-Number (Finland)	1152502
E-Number (Sweden)	1420154
Certificates and Declarations	
Declaration of Conformity - CE	9AKK108467A7115 9AKK108468A1342
Installation Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	No document needed
Classifications	
ETIM 8	EC002328 - Accessories/spare parts for junction boxes/cases for
ETIM 9	mounting in the wal EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wal
WEEE Category	Product Not in WEEE Scope
WEEE Category WEEE B2C / B2B	Product Not in WEEE Scope Business To Business

AN25.20 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Materials \rightarrow Flush\ Mounted\ Boxes \rightarrow Accessories\ for\ Plastic\ Flush\ Mounted\ Boxes \rightarrow Inlets$

