

PRODUCT-DETAILS

AP10M AP10M Junction box IP65 Black IP65



| General Information | |
|----------------------------|--|
| Extended Product Type | AP10M |
| Product ID | 2TKA00004261 |
| EAN | 6438199008158 |
| Catalog Description | AP10M Junction box IP65 Black IP65 |
| Long Description | The black square junction box AP10M (6,0 mm ² , 500 V) is equipped with 12 membrane cable entries (Ø 19 mm) in the sides, and two on the bottom. Cables are easy to connect by simply inserting the stripped ends through the inlets. The box locks by snapping and can be opened by inserting a screwdriver (for example) into the opening slots - no screws are needed. The box can be furnished with strain-reliefs AS9, AS9.1 and AS9.3. Mounting temperature -25+60 °C. Made of halogen free material (IEC/61249-2-21) |

| ABB EcoSolutions | |
|---|--|
| ABB EcoSolutions | Yes |
| Recyclability Rate of the Product acc. to EN45555 | Design for Closing Resource Loops - Standard EN45555 - 91.38 % |
| Sustainable Material Content in Product (wt. %) | Mechanically Recycled Polymer - 38.24 % |

© 2025 ABB. All rights reserved.

2025/05/13

Subject to change without notice

| ABB Site Meeting Group Waste To Landfill Target | No non-hazardous waste is sent to a landfill |
|--|--|
| Extended Product Lifetime | Product Modularity Product Upgradability |
| End Of Life Disassembling Instructions | 9AKK108468A2670 |
| Environmental Product Declaration - EPD | 9AKK108468A3481 |

| Model Number | Junction box |
|-----------------------------|---------------|
| Number of Conduit Inlets | 14 |
| Cover Mounting Type | Snap On |
| Entrance Type | Seal membrane |
| Includes | None |
| Rated Cross-Section | 6 mm² |

Electrical

| Rated Insulation Voltage | |
|--------------------------|--|
| (U _i) | |

| Design | |
|-------------------|-------------|
| Shape | Square |
| Surface Finishing | Untreated |
| Material | Plastic |
| Cover Style | Blind Cover |
| Color | Black |

Material Compliance

| RoHS Information | 9AKK106713A4634 |
|---|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 20240314 |
| REACH Declaration | 9AKK106713A4633 |
| REACH Information | False - does not contain substances > 0.1 mass percentage |
| REACH Date | 20240314 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |
| WEEE Category | Product Not in WEEE Scope |

| Environmental | | |
|----------------------|--|--|
| Degree of Protection | | |
| | | |

Dimensions

IP65

500 V

| 0.104 m |
|-----------------|
| 0.048 m |
| 0.104 m |
| 0.095 kg |
| 9AKK108470A7541 |
| |

| Ordering | |
|---------------------------------|-------------|
| Package Level 1 Units | bag 5 piece |
| Package Level 1 Gross Weight | 0.49 kg |
| E-Number (Finland) | 1612516 |
| E-Number (Norway) | 1241001 |
| E-Number (Sweden) | 1438361 |

| Declaration of Conformity - CE | 9AKK108467A208 |
|--------------------------------------|--------------------|
| Installation | |
| Instructions and Manuals | 9AKK107492A2833 |
| Mounting Type | Universa |
| Popular Downloads | |
| Data Sheet, Technical Information | No document needed |

ETIM 9

EC002600 - Box/housing for surface mounting on the wall/ceiling

Categories

 ${\tt Low \ Voltage \ Products \ and \ Systems \rightarrow Installation \ Materials \rightarrow Surface \ Mounted \ Boxes \rightarrow Outdoors \ or \ Applications \ in \ Wet \ Spaces \ Applications \ Systems \ Systems \ Applications \ Systems \ Sy$



© 2025 ABB. All rights reserved.

2025/05/13

Subject to change without notice