



PRODUCT-DETAILS

AKK14M

AKK14M Lighting outlet Black IP20



General Information	
Extended Product Type	AKK14M
Product ID	2TKA00004539
EAN	6438199008776
Catalog Description	AKK14M Lighting outlet Black IP20
Long Description	DCL lighting outlet, ceiling outlet, flush mounting

Technical	
Rated Voltage (U _r)	250 V
Rated Current (I _n)	6 A
Frequency (f)	50 ... 60 Hz
Number of Phases	1
Number of Gangs	1
Legend	Without imprint
Mounting Type	Surface mounted (plaster)
Type of Fastening	Mounting with Screw
Surface Finishing	Untreated, Matt
Material	Plastic, Thermoplastic

Label Space Provided	No
RAL Number	RAL 9010 - Pure White
Color	Black

Material Compliance

RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP20
----------------------	------

Dimensions

Product Net Width	0.115 m
Product Net Height	0.07 m
Product Net Depth / Length	0.115 m
Product Net Weight	0.077 kg
Built-In Depth (t ₂)	31 mm

Ordering

Package Level 1 Units	box 4 piece
Package Level 1 Gross Weight	0.36 kg
E-Number (Finland)	1130114
E-Number (Sweden)	1815419

Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A4627
--------------------------------	-----------------

Installation

Instructions and Manuals	9AKK107492A9118
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107992A5213
-----------------------------------	-----------------

Classifications		
ETIM 8		EC000125 - Socket outlet
ETIM 9		EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B		Business To Business
CN8		85366990

Categories

Low Voltage Products and Systems → Installation Materials → Lamp Outlets → DCL Lamp Outlets → Ceiling

