AU60.1 1/3



PRODUCT-DETAILS

AU60.1

AU60.1 Mounting box Blue IP3X



General Information	
Extended Product Type	AU60.1
Product ID	2TKA001744G1
EAN	6418677334788
Catalog Description	AU60.1 Mounting box Blue IP3X
Long Description	The mounting box has a rotating ring for adjusting the screw holes for device installation in optimal angle and screw distance is c/c 60mm. The green adapter ring, delivered with the box, is used in single-board walls (12-13 mm). The ring is removed when the wall thickness is two boards (24-26 mm). The box has two fixed inlets, one of them is open and both inlets are equipped with a locking device in metal for reliable connection between the conduits and the box. Both flexipipe and stiff conduits can be connected to the inlets and the inlets have 16/20 mm piping adapters. In addition, there are four openable holes on the sides and two in bottom for different inletsx000Dx000D The box is also tested in firewalls El60 (mounting instruction separately)x000Dx000D Manufactured from halogen free material (IEC/61249-2-21), the box complies with the IEC/EN60670:2005 glow wire test (850 °C).

Eco Transparency

AU60.1 2/3

Environmental Product 9AKK108469A2312
Declaration - EPD

Technical	
Application	None
Model Number	Single
Number of Poles	0
Number of Conduit Inlets	2
Number of Gangs	1
Number of Inlet Inserts Included	2
Design	Device connection box (round/square)
Cover Mounting Type	Snap On
Mounting Type	Flush mounted (plaster)
Switching Equipment Mounting Type	Screw
Shape	Round
Surface Finishing	Untreated
Material	Plastic, Thermoplastic
Includes	None
Cover Style	Construction Protective Cover
Color	Blue

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	0f48dbcd-f68b-4096-98c7-6fd7eb0a1c41 Finland (FI)

Environmental	
Degree of Protection	IP3X

Dimensions	
Product Net Width	0.071 m
Product Net Height	0.057 m
Product Net Depth / Length	71 mm
Product Net Weight	0.08 kg

Ordering

AU60.1 3/3

Package Level 1 Units	box 80 piece
Package Level 1 Gross Weight	6.6 kg
E-Number (Sweden)	1422242

Certificates and Declarations	
Declaration of	9AKK108467A7115
Conformity - CE	

Installation	
Instructions and	9AKK108468A4825
Manuals	9AKK108468A4826

Popular Downloads	
Data Sheet, Technical	9AKK10103A2549
Information	

Classifications	
ETIM 8	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 9	EC002601 - Box/housing for built-in mounting in the wall/ceiling
WEEE Category	Product Not in WEEE Scope

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Materials \rightarrow Flush\ Mounted\ Boxes \rightarrow Plastic\ Installation\ Boxes\ (for\ WA\ Inserts) \rightarrow Hollow\ Wall$

