



PRODUCT-DETAILS

FEH1001

Control Unit White - Jussi



General Information	
Extended Product Type	FEH1001
Product ID	2TKA002107G1
EAN	6410070607117
Catalog Description	Control Unit White - Jussi
Long Description	The loop controls itself against short circuits and breaks. Possibility to connect both closing and opening potential free contacts. Input delay 150 ms / 2,5 s. Memory / no memory function. Potential free output. Cancelling button with LED. Good marking possibilities on the button and name plate. _x000D_ Operating voltage: 15 - 28 V ac / 18 - 35 V dc. Current consumption: 70 mA ac / 40 mA dc.

Installation	
Instructions and Manuals	9AKK10103A3030

Environmental	
---------------	--

Degree of Protection	IP20
----------------------	------

Technical

Data Sheet, Technical Information	9AKK10103A3030
Number of Batteries	0

Electrical

Rated Voltage (U _r)	24...24 V
Input Voltage Type	AC/DC

Design

Design Range	Jussi
RAL Number	RAL 9010 - Pure White
Color	White

Dimensions

Product Net Width	71 mm
Product Net Height	71 mm
Product Net Depth / Length	39 mm
Product Net Weight	0.0591 kg

Material Compliance

RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK106713A4633
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	4bcb1b38-5a6e-4409-955c-b0eefe2716bc Finland (FI)

Certificates and Declarations

Declaration of Conformity - CE	9AKK10103A2355
--------------------------------	----------------

Classifications

ETIM 9	EC002247 - Handicapped person element for domestic switching devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Door Entry / Signalisation

