



 PRODUCT-DETAILS

20EUC-84

Socket outlet Without imprint White - Impressivo



General Information

Extended Product Type	20EUC-84
Product ID	2TKA003846G1
EAN	6438199000510
Catalog Description	Socket outlet Without imprint White - Impressivo
Long Description	There are terminals for each contact of the socket outlet. The terminals are for max 2 solit or rigid wires. No X-terminals.

Installation

Instructions and Manuals	9AKK10103A3029
Mounting Type	Flush mounted (plaster)
Type of Fastening	Mounting with Claw Mounting with Screw

Environmental

Degree of Protection	IP21
----------------------	------

Technical

Data Sheet, Technical Information	9AKK10103A3029
Number of Phases	1
Number of Active Pin Terminals	0
Number of Gangs	1
Connection Type	Push-In
Socket Outlet Type	Protective Contact (SCHUKO)
Number of Batteries	0

Electrical

Rated Voltage (U _r)	250 V
Rated Current (I _n)	16 A
Frequency (f)	50 ... 50 Hz

Design

Design Range	Impressivo
Surface Finishing	Untreated Glossy
Material	Plastic, Thermoplastic
Legend	Without imprint
Label Space Provided	No
RAL Number	RAL 9016 - Traffic White
Color	White

Dimensions

Product Net Width	71 mm
Product Net Height	45 mm
Product Net Depth / Length	71 mm
Product Net Weight	0.068 kg
Built-In Depth (t ₂)	28 mm

Eco Transparency

Environmental Product Declaration - EPD	9AKK108469A2313
---	-----------------

Material Compliance

RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals	9AKK108468A3363

Reporting Template
(CMRT)

Certificates and Declarations

Declaration of
Conformity - CE

9AKK108468A6733

Classifications

ETIM 9

EC000125 - Socket outlet

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B

Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Socket Outlets

