



PRODUCT-DETAILS





General Information	
Extended Product Type	PMR577
Product ID	2TKA130047G1
EAN	6410011527764
Catalog Description	PMR577 Support
Long Description	Support PMR577 is used with mounting and junction boxes with knock-out inlets. The support is used for installation of boxes into light, non-bearing walls that are constructed on site, with interlayers of 42, 45, 66, 70, 90 and 95 mm. It is possible to use an inlet or a strain-relief (conduitless flush mounting) with the support. By joining two supports PMR577 together with an interconnector PMR474 the box groups can be separated from each other under different covering plates. The center distance of the box groups is 85mm. Made of halogen free material (IEC/61249-2-21).

Technical	
Number of Batteries	

Material Compliance

© 2024 ABB. All rights reserved.

2024/09/04

Subject to change without notice

0

RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Product Net Width	0.038 m
Product Net Height	0.018 m
Product Net Depth / Length	0.095 m
Product Net Weight	0.0092 kg

Ordering	
Package Level 1 Units	box 20 piece
Package Level 1 Gross Weight	0.19 kg
E-Number (Finland)	1152776
E-Number (Sweden)	1422320

Certificates and Declarations	
Declaration of Conformity - CE	9AKK108467A711
Installation	
Instructions and Manuals	9AKK10103A2549
Popular Downloads	
Data Sheet, Technical	9AKK10103A2549

Classifications	
ETIM 8	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
ETIM 9	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems \rightarrow Installation Materials \rightarrow Flush Mounted Boxes \rightarrow Accessories for Plastic Flush Mounted Boxes \rightarrow Box Support



3/3