AJ10.20 1/3



PRODUCT-DETAILS

## AJ10.20

## AJ10.20 Bushing insulator



| Extended Product Type                                    | AJ10.20   |
|--|---|
| Product ID   | 2TKA160007G1  |
| EAN  | 6410011301609   |
| Catalog Description                                      | AJ10.20 Bushing insulator   |
| Long Description   | Bushing insulator AJ10.20 is designed for feedthrough situations in electrical conduits in concrete structures cast on-site, and is used for linking conduits in the ceiling structure to conduits in non-bearing inside walls leading directly to a switch or a plug socket, or to a junction box on the wall. Bushing AJ10.20 comes with a cast cover. Made of halogen free |
|  | material (IEC/61249-2-21).  |
| Foo Transparency   | material (IEC/61249-2-21).  |
| Eco Transparency   |   |
| Eco Transparency Environmental Product Declaration - EPD | material (IEC/61249-2-21). 9AKK108468A8103  |
| Environmental Product                                    |   |
| Environmental Product                                    |   |
| Environmental Product<br>Declaration - EPD               |   |

AJ10.20 2/3

| Material                                    | Plastic, Thermoplastic   |
|---|--|
|   |  |
| Material Compliance                         |  |
| RoHS Information                            | 9AKK106713A4634  |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date                                   | 20240314   |
| REACH Declaration                           | 9AKK106713A4633  |
| REACH Information REACH Date                | False - does not contain substances > 0.1 mass percentage              |
| Conflict Minerals Reporting Template (CMRT) | 20240314<br>9AKK108468A3363  |
| CONTE                                       |  |
| Dimensions                                  |  |
| Product Net Width                           | 0.05 m   |
| Product Net Height                          | 0.05 m   |
| Product Net Depth /<br>Length               | 0.06 n   |
| Product Net Weight                          | 0.0149 kg  |
| Ordering                                    |  |
| Package Level 1 Units                       | box 50 piece   |
| Package Level 1 Gross Weight                | 0.758 kg   |
| E-Number (Finland)                          | 1130160  |
| E-Number (Sweden)                           | 1400743  |
|   |  |
| Certificates and Declarations               |  |
| Declaration of Conformity                   | 9AKK108469A2510  |
| <u>- CE</u>                                 |  |
| Installation                                |  |
| Instructions and Manuals                    | 9AKK10103A2549   |
| Popular Downloads                           |  |
| Data Sheet, Technical                       | 9AKK10103A2549   |
| Information                                 |  |
| Building Information<br>Modeling - BIM      | 9AKK108468A3679  |
| Classifications                             |  |
| ETIM 8                                      | EC000937 - Terminal sleeve for installation tubes                      |
| ETIM 9                                      | EC000937 - Terminal sleeve for installation tubes                      |
| WEEE Category                               | Product Not in WEEE Scope  |

AJ10.20 3/3

## Categories

 $\mbox{Low Voltage Products and Systems} \rightarrow \mbox{Installation Materials} \rightarrow \mbox{Conduits \& Accessories} \rightarrow \mbox{Accessories for Plastic Conduits} \rightarrow \mbox{Concrete Casting Accessories}$ 

