



PRODUCT-DETAILS

# AJ20

## AJ20 Conduit extension White



General Information	
Extended Product Type	AJ20
Product ID	2TKA160011G1
EAN	6410011301203
Catalog Description	AJ20 Conduit extension White
Long Description	Conduit extension AJ20 is used to lengthen plastic conduits in flush mounting installations in new buildings and in prefabricated building elements. It has a locking device which provides a joint that is almost as durable as a continuous conduit. Made of halogen free material (IEC/61249-2-21).

Eco Transparency	
Environmental Product Declaration - EPD	9AKK108468A7927

Technical	
Model Number	Plug-in
Surface Finishing	Untreated

Material	Plastic, Thermoplastic
Material of Seal	Non-Sealing
Color	White

Material Compliance

RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	8ee952c7-62e8-4077-b5ed-57e4b908be12 Finland (FI)

Dimensions

Product Net Width	0.023 m
Product Net Height	0.026 m
Product Net Depth / Length	0.08 m
Product Net Weight	0.0082 kg

Ordering

Package Level 1 Units	box 100 piece
Package Level 1 Gross Weight	0.82 kg
E-Number (Finland)	1130120
E-Number (Sweden)	1400320

Certificates and Declarations

Declaration of Conformity - CE	9AKK108469A2510
--------------------------------	-----------------

Installation

Instructions and Manuals	9AKK10103A2549
--------------------------	----------------

Popular Downloads

Data Sheet, Technical Information	9AKK10103A2549
-----------------------------------	----------------

Classifications

ETIM 8	EC000939 - Coupler for installation tubes
--------	---

ETIM 9	EC000939 - Coupler for installation tubes
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Materials → Conduits & Accessories → Accessories for Plastic Conduits → Conduit Extensions and Adaptors

