



PRODUCT-DETAILS

AN16

AN16 Inlet M16



General Information	
Extended Product Type	AN16
Product ID	2TKA160024G1
EAN	6410011527542
Catalog Description	AN16 Inlet M16
Long Description	Inlet AN16 is equipped with locking device which prevents conduit disconnection. The conduit can be unfastened by twisting it. The inlet can be used both in mounting boxes and in junction boxes. Made of halogen free material (IEC/61249-2-21).

Eco Transparency	
Environmental Product Declaration - EPD	9AKK108469A3874

Technical	
Number of Batteries	0

Material Compliance		
RoHS Information		9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	
RoHS Date		20240314
REACH Declaration		9AKK106713A4633
REACH Information	False - does not contain substances > 0.1 mass percentage	
REACH Date		20240314
Conflict Minerals Reporting Template (CMRT)		9AKK108468A3363

Dimensions	
Product Net Width	0.028 m
Product Net Height	0.038 m
Product Net Depth / Length	0.024 m
Product Net Weight	0.0044 kg

Ordering	
Package Level 1 Units	box 100 piece
Package Level 1 Gross Weight	0.45 kg
E-Number (Finland)	1152754
E-Number (Sweden)	1422342

Certificates and Declarations	
Declaration of Conformity - CE	9AKK108467A7115 9AKK108468A1342

Installation	
Instructions and Manuals	9AKK10103A2549

Popular Downloads	
Data Sheet, Technical Information	9AKK10103A2549

Classifications	
ETIM 8	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
ETIM 9	EC002328 - Accessories/spare parts for junction boxes/cases for mounting in the wall
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Materials → Flush Mounted Boxes → Accessories for Plastic Flush Mounted Boxes → Inlets

