



PRODUCT-DETAILS

M12-C61

M12-C61 Cable



General Information

Extended Product Type	M12-C61
Product ID	2TLA020056R0000
EAN	7350024452341
Catalog Description	M12-C61 Cable
Long Description	M12-C61 is a shielded cable with a straight M12-5 female connector and a free end. The five conductors have a cross section of 0.34 mm2. The jacket is made of black PVC. The length of the cable is 6 meters.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	8544429090

Popular Downloads

Data Sheet, Technical Information	2TLC010065L0201
Instructions and Manuals	2TLC010065L0201
Marketing Video	9AKK10103A4645

2TLC010018N0201

Dimensions

Product Net Depth / Length	6 m
Product Net Height	15 mm
Product Net Width	15 mm
Product Net Weight	0.302 kg

Technical

Suitable For	Orion1-4-14-015-B Orion1-4-14-030-B Orion1-4-14-045-B Orion1-4-14-060-B Orion1-4-14-075-B Orion1-4-14-090-B Orion1-4-14-105-B Orion1-4-14-120-B Orion1-4-14-135-B Orion1-4-14-150-B Orion1-4-14-165-B Orion1-4-14-180-B Orion1-4-30-015-B Orion1-4-30-030-B Orion1-4-30-045-B Orion1-4-30-060-B Orion1-4-30-075-B Orion1-4-30-090-B Orion1-4-30-105-B Orion1-4-30-120-B Orion1-4-30-135-B Orion1-4-30-150-B Orion1-4-30-165-B Orion1-4-30-180-B Orion2-4-K2-050-B Orion2-4-K3-080-B Orion2-4-K4-090-B Orion2-4-K4-120-B Orion3-4-K1C-050-B Orion3-4-K2C-080-B Orion3-4-K2C-090-B Orion3-4-K2C-120-B Orion1-4-14-030-E Orion1-4-14-045-E Orion1-4-14-060-E Orion1-4-14-075-E Orion1-4-14-090-E Orion1-4-14-105-E Orion1-4-14-120-E Orion1-4-14-135-E Orion1-4-14-150-E Orion1-4-14-165-E Orion1-4-14-180-E Orion1-4-30-030-E Orion1-4-30-045-E Orion1-4-30-060-E Orion1-4-30-075-E Orion1-4-30-090-E Orion1-4-30-105-E Orion1-4-30-120-E Orion1-4-30-135-E Orion1-4-30-150-E Orion1-4-30-165-E Orion1-4-30-180-E Orion2-4-K2-050-E Orion2-4-K3-080-E Orion2-4-K4-090-E Orion2-4-K4-120-E Orion3-4-K1C-050-E Orion3-4-K2C-080-E Orion3-4-K2C-090-E Orion3-4-K2C-120-E Adam DYN-Info M12-5
--------------	---

Adam DYN-Status M12-5
Adam DYN-Reset M12-5
Adam OSSD-Info M12-5
Adam OSSD-Reset M12-5
Adam AS-i M12-4
Spot 10
JSTD25F

Material Compliance		
Conflict Minerals Reporting Template (CMRT)		9AKK108467A5658
REACH Declaration		2CMT2022-006480
RoHS Information		2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019	
Toxic Substances Control Act - TSCA		2CMT2023-006522
WEEE B2C / B2B		Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	

Certificates and Declarations		
cULus Certificate		2TLC172257D0201
Declaration of Conformity - CCC		No declaration needed
Declaration of Conformity - CE		No declaration needed
Declaration of Conformity - UKCA		No declaration needed
UL Certificate		2TLC172257D0201

Classifications		
E-Number (Sweden)		3861404
ETIM 4	EC000057 - Low voltage power cable	
ETIM 5	EC000057 - Low voltage power cable	
ETIM 6	EC001855 - Sensor-actuator patch cord	
ETIM 7	EC001855 - Sensor-actuator patch cord	
ETIM 8	EC001855 - Sensor-actuator patch cord	
ETIM 9	EC001855 - Sensor-actuator patch cord	
Object Classification Code		W
UNSPSC		26121603
eClass		V11.0 : 27060313

Categories		
-------------------	--	--

Low Voltage Products and Systems → Control Products → Safety Products → Cables and Connectors

Low Voltage Products and Systems → Control Products → Safety Products → Optical Safety Devices

Low Voltage Products and Systems → Control Products → Safety Products → Safety Sensors, Switches and Locks

