



PRODUCT-DETAILS

M12-C22

M12-C22 Cable



General Information	
Extended Product Type	M12-C22
Product ID	2TLJ020056R0400
EAN	7350024437065
Catalog Description	M12-C22 Cable
Long Description	M12-C22 is a shielded cable with a straight M12-5 male connector and a free end. The five conductors have a cross section of 0.34 mm2. The jacket is made of black PVC. The length of the cable is 2 meters.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	8544429090
Product Main Type	M12 connection
Product Name	Cable
Status Indicator	No

Popular Downloads

Dimensions

Cable Length	2 m
Product Net Depth / Length	2 m
Product Net Height	15 mm
Product Net Width	15 mm
Product Net Weight	0.1 kg

Technical

Color	Jacket: Black
Connection Configuration	Device side: free end Field side: straight M12-5 male
Rated Control Supply Voltage (U _s)	24 V
Suitable For	Eden

Environmental

Ambient Air Temperature	-20 ... 80 °C
Degree of Protection	IP67 IP69K
Material	Jacket: PVC Pin/socket: Gold plated brass

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006480
RoHS Information	2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	No declaration needed
Declaration of Conformity - UKCA	No declaration needed

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	180 mm

Package Level 1 Depth / Length	20 mm
Package Level 1 Height	250 mm
Package Level 1 Gross Weight	0.105 kg
Package Level 1 EAN	7350024437065

Classifications

eClass	V11.0 : 27060313
ETIM 7	EC001855 - Sensor-actuator patch cord
ETIM 8	EC001855 - Sensor-actuator patch cord
ETIM 9	EC001855 - Sensor-actuator patch cord
Object Classification Code	W

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Cables and Connectors

