SIEMENS

Data sheet

6ES7972-0BA52-0XA0

product type designation product description



PROFIBUS connector

PROFIBUS bus connector, RS 485, Fast Connect, without programming port, 90° SIMATIC DP, Connection plug for PROFIBUS up to 12 Mbit/s 90° cable outlet, Insulation displacement method FastConnect, without PG socket 15.8x 59x 35.6 mm (BxHxD)

suitability for use	For connecting PROFIBUS stations to the PROFIBUS bus cable		
transfer rate			
transfer rate / with PROFIBUS DP	9.6 kbit/s 12 Mbit/s		
interfaces			
number of electrical connections			
 for PROFIBUS cables 	2		
 for network components or terminal equipment 	1		
type of electrical connection			
• for PROFIBUS cables	Integrated insulation displacement terminals for 2-core PB FC installation cables		
 for network components or terminal equipment 	9-pin sub D connector		
type of electrical connection / FastConnect	Yes		
mechanical data			
design of terminating resistor	Resistor combination integrated and connectable via slide switch		
material / of the enclosure	plastic		
locking mechanism design	Screwed joint		
design, dimensions and weights			
type of cable outlet	90 degree cable outlet		
width	15.8 mm		
height	59 mm		
depth	35.6 mm		
net weight	36 g		
ambient conditions			
ambient temperature			
 during operation 	-25 +60 °C		
 during storage 	-40 +70 °C		
during transport	-40 +70 °C		
protection class IP	IP20		
product features, product functions, product components / gen	eral		
product feature			
silicon-free	Yes		
product component			
 PG connection socket 	No		
strain relief	Yes		
standards, specifications, approvals			
certificate of suitability			
RoHS conformity	Yes		
UL approval	Yes		

reference code						
reference code	0 91046 0		XC			
 according to IEC inther information / in 			XG	_	_	_
internet link						
	ection guide for cables and	connectors	https://support.ir	ndustry siemen	ns.com/cs/ww/en/view/10	9766358
	election aid TIA Selection T		https://www.sien			<u></u>
	strial communication		https://www.sien			
• to web page: Si	ePortal		https://sieportal.	siemens.com		
 to website: Imag 	ge database		https://www.automation.siemens.com/bilddb			
• to website: CAx	-Download-Manager		http://www.siemens.com/cax			
 to website: Indu 	stry Online Support		https://support.ir	ndustry.siemen	is.com	
curity information						
			that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cytert. (V4.7)			
oprovals / Certificate	s		·			
General Product App	proval				Test Certificates	other
CE EG-Konf.	UK CA	<u>Confirmation</u>	• E	AC	<u>Miscellaneous</u>	<u>Miscellaneous</u>
other	Environment					
<u>Confirmation</u>	Environmental Con- firmations	Environmental (<u>firmations</u>	<u>Con-</u>			
ast modified:			8/8/2024 🖸			