

H1,5/20 ZH R**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



- supplied loose in poly-bag
- Weidmüller colour code
- DIN colour code

General ordering data

| | |
|------------|--|
| Version | Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, red |
| Order No. | 9037300000 |
| Type | H1,5/20 ZH R |
| GTIN (EAN) | 4008190492779 |
| Qty. | 500 pc(s). |
| Packaging | loose |

Creation date July 23, 2024 10:44:43 AM CEST

Catalogue status 23.07.2024 / We reserve the right to make technical changes.

H1,5/20 ZH R

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight 0.17 g

Technical data

| Description of article | Twin wire end ferrule, red | Version | Twin wire-end ferrule |
|------------------------|----------------------------|---------|-----------------------|
|------------------------|----------------------------|---------|-----------------------|

Wire-end ferrules

| | | | |
|---|------------|-----------------------------|---------------------|
| Collar height (A) | 6.5 mm | Collar width (B) | 3.6 mm |
| Colour code | Weidmüller | Conductor cross-section | 1.5 mm ² |
| Contact surface diameter (D1) | 2.2 mm | Contact surface length (L2) | 12 mm |
| L1 in mm | 20 mm | Metal sleeve thickness (S1) | 0.15 mm |
| Plastic collar thickness (S2) | 0.3 mm | Stripping length | 15 mm |
| Wire connection cross section AWG, max. | AWG 16 | | |

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 6.0 | EC000005 | ETIM 7.0 | EC000005 |
| ETIM 8.0 | EC000005 | ETIM 9.0 | EC000005 |
| ECLASS 9.0 | 27-40-02-01 | ECLASS 9.1 | 27-40-02-01 |
| ECLASS 10.0 | 27-40-02-01 | ECLASS 11.0 | 27-40-02-01 |
| ECLASS 12.0 | 27-40-02-01 | ECLASS 13.0 | 27-40-02-01 |
| ECLASS 14.0 | 27-40-02-01 | | |

Environmental Product Compliance

REACH SVHC /
 RoHS Compliance Status Compliant without exemption

Approvals

Approvals



ROHS Conform
 UL File Number Search UL Website
 Certificate no. (cULus) E499744

Downloads

Engineering Data [CAD data – STEP](#)
 Engineering Data [Zuken E3.S](#)
 User Documentation [Technical information - EN](#)
[Technical information - DE](#)
 Catalogues [Catalogues in PDF-format](#)
 Brochures

Data sheet

H1,5/20 ZH R

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Drawing

