

Product Datasheet

Characteristic

R9XFH157

Resi9 - comb busbar - 1L - 18 mm
pitch - 57 modules - 63 A



Main

| | |
|-----------------------------------|----------------------|
| Range | Resi9 |
| product or component type | Comb busbar |
| mounting mode | Horizontal |
| Accessory / separate part categor | Connection accessory |
| Lines description | 1L |
| Total number of 18 mm modules | 57 |

Complementary

| | |
|--------------------------------|---|
| Number of ways | 57 ways 1 L |
| Poles configuration for 1 way | 1 x 1P |
| Connection pitch | 18 mm |
| Connector type | Fork |
| Distance between way | 18 mm |
| Marking | L |
| Insulation | Insulated |
| device presentation | Cuttable |
| [Ie] rated operational current | 63 A at 40 °C |
| [Ue] rated operational voltage | 230 V AC Ph/N |
| [Ui] rated insulation voltage | 500 V AC |
| Mounting location | Bottom on biconnect |
| 9 mm pitches | 114 |
| Width | 1000 mm |
| Colour | White (RAL 9003) |
| Range compatibility | Acti 9 Acti9 K60 Resi9 Resi9 MCB Resi9 Resi9 RCBO Resi9 Resi9 RCCB Resi9 Resi9 SWITCH |

Environment

| | |
|------------------------|---|
| Product certifications | CE |
| Fire resistance | 960 °C (30 s) conforming to IEC 60695-2-1 |
| Pollution degree | 3 |

Packing Units

| | |
|------------------------------|------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.500 cm |
| Package 1 Width | 1.500 cm |
| Package 1 Length | 101.500 cm |
| Package 1 Weight | 206.000 g |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 5 |
| Package 2 Height | 5.500 cm |
| Package 2 Width | 106.500 cm |
| Package 2 Length | 9.000 cm |
| Package 2 Weight | 1.199 kg |
| Unit Type of Package 3 | P12 |
| Number of Units in Package 3 | 270 |
| Package 3 Height | 75.000 cm |
| Package 3 Width | 80.000 cm |
| Package 3 Length | 120.000 cm |
| Package 3 Weight | 113.000 kg |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| REACH Regulation | Free of Substances of Very High Concern above the threshold |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Compliant |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| China RoHS Regulation | Pro-active China RoHS declaration (out of China RoHS legal scope) |
| RoHS exemption information | Yes |
| Environmental Disclosure | ENVPEP2005011 |
| Circularity Profile | N/A |
| WEEE | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |