# **Product Datasheet**

### Characteristic

## VZ7

Auxiliary contact block,TeSys Control,1 NC early break+1 NO late make,for V02-V6



\_\_\_\_\_



#### Main

Range	TeSys	
Device short name	VZ	
product or component type	Auxiliary contact block	
Performance level	High performance	
Contacts type and composition	1 NO + 1 NC	
Contact operation	Late-make 1 NO Early-break 1 NC	
Product compatibility	V2 V5 V02 V6 V1 V4 V01 V0 V3	
Network type	AC DC	
Network frequency	50/60 Hz	

### Complementary

mounting location	Left Right	
[Ue] rated operational voltage	690 V AC 50/60 Hz	
[Uimp] rated impulse withstand voltage	8 kV	
[Ith] conventional free air thermal current	12 A	
[Ithe] conventional enclosed thermal current	10 A	
Mechanical durability	100000 cycles	
Electrical durability	30000 cycles DC-11 100000 cycles AC-15	
Connections - terminals	Screw clamp terminals 2 cable(s) 0.751.5 mm <sup>2</sup> - flexible - with cable end Screw clamp terminals 2 cable(s) 12.5 mm <sup>2</sup> - solid	
Tightening torque	0.7 N.m - on screw clamp terminals	
Height	65 mm	
Width	20 mm	

Depth	48.5 mm
net weight	0.05 kg

#### Environment

Standards	IEC 60947-5	
Product certifications	GL CSA UL UKCA	
Protective treatment	TC	
IP degree of protection	IP20 conforming to IEC 60529	
Ambient air temperature for operation	-2050 °C	
Fire resistance	960 °C conforming to IEC 60695-2-1	

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	3.7 cm
Package 1 Length	9.0 cm
Package 1 Weight	52.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	69
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.931 kg

#### Offer Sustainability

Office Gustamusmity		
Sustainable offer status	Green Premium product	
REACh Regulation	Reference contains Substances of Very High Concern above the threshold	
EU RoHS Directive	Compliant with Exemptions	
Mercury free	Yes	
China RoHS Regulation	Product out of China RoHS scope. Substance declaration for your information	
RoHS exemption information	Yes	
Environmental Disclosure	ENVPEP2211001	
Circularity Profile	N/A	
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	
PVC free	Yes	
Halogen content performance	Halogen free product	