

Product Datasheet

Characteristic

WDE002467

Socket-outlet with timer and surface box, Exxact, complete product, 2P + E, 10A, Schuko white



Main

Range	Exxact
product or component type	Socket-outlet with timer
provided equipment	2-gang Exxact Primo frame
Quantity per set	1 piece

Complementary

device presentation	Complete product
device mounting	Surface corner
Technology type	Electronic
Switch function	2-pole-ending
Rated current	10 A
Outlet poles configuration	2P + E
outlet standard	Schuko
[Ue] rated operational voltage	230 V AC
Power range	Resistive: <= 2300 W Fluorescent tube: <= 360 VA
Colour tint	White
Local signalling	Red LED indication in active position
time delay range	15 min...8 h
Connections - terminals	Screw terminals
Shape of screw head	Pozidriv No 1 and combi
Clamping connection capacity	1 x 1.5...2 x 2.5 mm ² for solid cable(s) 1 x 1.5...2 x 2.5 mm ² for solid stranded cable(s)
Material	ABS + PC
Wiring configuration	With neutral
Height	158 mm
Width	87 mm
Projecting depth	48 mm

Environment

Standards	EN 60669-2-3 EN 60669-1
-----------	----------------------------

	EN 60669-2-1
Product certifications	FIMKO CE NEMKO SEMKO
IP degree of protection	IP21

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.800 cm
Package 1 Width	10.200 cm
Package 1 Length	16.000 cm
Package 1 Weight	326.000 g
Unit Type of Package 2	P12
Number of Units in Package 2	576
Package 2 Height	114.900 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	218.968 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	Product out of China RoHS scope. Substance declaration for your information
RoHS exemption information	Yes
Environmental Disclosure	ENVPEP111009EN
Circularity Profile	N/A
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins