

Product Datasheet

Characteristic

WDE011216

Renova rocker switch 2 circuits 16 A 250 V black



Main

Range	Renova
product or component type	Switch
Device application	Light control
device presentation	Mechanism with fixing frame
Colour tint	Black (NCS S 9000-N)
Quantity per set	Set of 5
Switch function	1-pole 2-way

Complementary

Technology type	Electromechanical
Rated current	16 A
[Ue] rated operational voltage	250 V AC
Connections - terminals	Screwless terminals
Number of loop terminals	2
Clamping connection capacity	1 x 1.5...2 x 2.5 mm ² for solid cable(s) 1 x 1.5...2 x 2.5 mm ² for solid stranded cable(s)
device mounting	Flush
Number of rocker	2
Switch pattern	[5]
Actuator	Rocker
Material	PC/ABS
Fixing mode	By claws By screws
Diameter	71 mm
Embedding depth	15 mm
Projecting depth	19 mm
IP degree of protection	IP20
Product certifications	CE FIMKO SEMKO NEMKO
Standards	EN 60669-1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	7 cm
Package 1 Length	7 cm
Package 1 Weight	69 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	10.6 cm
Package 2 Width	11.9 cm
Package 2 Length	20 cm
Package 2 Weight	388 g
Unit Type of Package 3	CAR
Number of Units in Package 3	50
Package 3 Height	22.6 cm
Package 3 Width	36.7 cm
Package 3 Length	41 cm
Package 3 Weight	5 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	Free of Substances of Very High Concern above the threshold
REACH free of SVHC	Yes
EU RoHS Directive	Compliant
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	 Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	ENVPEP1507001
Circularity Profile	N/A
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins