

Cable ladder KHZP-400 6m HDG

Reference 718565



Activity Product family Brand Range Cable support systems Cable ladders Wibe KHZP

Commercial and Web

Short description Cable ladder KHZP-400 6m HDG

Medium description Wibe - cable ladder - KHZP-400 - closed side

profiles and perforated rungs - 6 m - steel hot-dip

galvanized

Length6000 mmWidth400 mmHeight55 mmMaterialSteel

Material type or surface treatment Hot-dip galvanized

Corrosion class C4

Base

Activity Cable support systems

Product family Cable ladders

Brand Wibe Range KHZP

GTIN 7321677185658

ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666)

Tube shape (closed)

Side wall perforation (EF001122)

Type of rung (EF001060) Perforated profile

Fixation rung (EF008307) Welded Height (EF000040) 55 mm

Width (EF000008)	400 mm
Length (EF001438)	6000 mm
Useful cross section (EF005140)	12120000 mm ²
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Material quality (EF001257)	*
Surface protection (EF000139)	Hot-dip galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*
Weight (EF000167)	3.2 kg/m

Logistic

Pack 1 type

Quantity pack 1

Weight pack 1	18.9 kg
Length pack 1	6000 mm
Width pack 1	397 mm
Height pack 1	55 mm
GTIN pack 1	7321677185658
Pack 4 type	Pallet
Quantity pack 4	30
Weight pack 4	567 kg
Length pack 4	6000 mm
Width pack 4	840 mm
Height pack 4	580 mm
Customs code	73089059
Net weight	18.9 kg
Country of origin	SE

Each 1

Status product

Certification

ETIM class

Product status Commercialized

Environmental

EC000854

oduct downloa	ads						