

# Cable ladder KHZSP-300 4m PG

## Reference 718573



Activity Product family Brand Range Cable support systems Cable ladders Wibe KHZSP

#### Commercial and Web

Short description Cable ladder KHZSP-300 4m PG

Medium description Wibe - cable ladder - KHZSP-300 - open side

profiles provided with draining holes and perforated rungs - 4 m - steel pre-galvanized

Length 4000 mm Width 300 mm

Height 55 mm
Material Steel

Material type or surface treatment Pre-galvanized

Corrosion class C2

#### Base

Activity Cable support systems

Product family Cable ladders

Brand Wibe
Range KHZSP

GTIN 7321677185733

#### ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666) Profile (open)

Side wall perforation (EF001122)

Type of rung (EF001060) Perforated profile

Fixation rung (EF008307) Welded Height (EF000040) 55 mm

Width (EF000008)	300 mm
Length (EF001438)	4000 mm
Useful cross section (EF005140)	31680000 mm²
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Material quality (EF001257)	*
Surface protection (EF000139)	Continuously galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*
Weight (EF000167)	2.17 kg/m
Logistic	

Weight pack 1	7.98 kg			
Length pack 1	4000 mm			
Width pack 1	298 mm			
Height pack 1	55 mm			
GTIN pack 1	7321677185733			
Pack 4 type	Pallet			
Quantity pack 4	30			
Weight pack 4	239.4 kg			
Length pack 4	4000 mm			
Width pack 4	640 mm			
Height pack 4	580 mm			
Customs code	73089059			
Net weight	7.98 kg			
Country of origin	SE			

Each

1

#### Certification

Pack 1 type

Quantity pack 1

ETIM class	EC000854

# Status product

Product status	Commercialized

### Environmental

roduct downloads			