

# Cable ladder KHZSP-500 4m PG

#### Reference 718575



Activity Product family Brand Range Cable support systems Cable ladders Wibe KHZSP

#### Commercial and Web

Short description Cable ladder KHZSP-500 4m PG

Medium description Wibe - cable ladder - KHZSP-500 - open side

profiles and perforated rungs - 4 m - steel pre-

galvanized

Length4000 mmWidth500 mmHeight55 mmMaterialSteel

Material type or surface treatment Pre-galvanized

Corrosion class C2

#### Base

Activity Cable support systems

Product family Cable ladders

Brand Wibe Range KHZSP

GTIN 7321677185757

#### ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666) Profile (open)

Side wall perforation (EF001122)

Type of rung (EF001060) Perforated profile

Fixation rung (EF008307) Welded Height (EF000040) 55 mm

Width (EF000008)	500 mm
Length (EF001438)	4000 mm
Useful cross section (EF005140)	55680000 mm <sup>2</sup>
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Material quality (EF001257)	*
Surface protection (EF000139)	Continuously galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*
Weight (EF000167)	2.57 kg/m
Logistic	
Pack 1 type	Each
Quantity pack 1	1

Quartity pack i	I .
Weight pack 1	9.1 kg
Length pack 1	4000 mm
Width pack 1	498 mm
Height pack 1	55 mm
GTIN pack 1	7321677185757
Pack 4 type	Pallet
Quantity pack 4	15
Weight pack 4	136.5 kg
Length pack 4	4000 mm
Width pack 4	540 mm
Height pack 4	580 mm
Customs code	73089059
Net weight	9.1 kg
Country of origin	SE

#### Certification

ETIM class	EC000854

## Status product

Product status	Commercialized

### Environmental

oduct downloads			