

Cable tray W1/40-400 2m PG white

Reference 728990



Activity	Cable support systems
Product family	Cable trays
Brand	Wibe
Range	W1

Commercial and Web

Short description	Cable tray W1/40-400 2m PG white
Medium description	Wibe - cable tray W1/40-400 - unperforated - 2 m - steel pre-galvanized - white
Length	2000 mm
Width	400 mm
Height	40 mm
Material	Steel
Material type or surface treatment	Painted
Corrosion class	C2

Base

Activity	Cable support systems
Product family	Cable trays
Brand	Wibe
Range	W1
GTIN	7321677289905

ETIM (EC000047-Cable tray/wide span cable tray)

Height (EF000040)	40 mm
Width (EF000008)	400 mm
Material thickness (EF000386)	1.25 mm
Length (EF001438)	2000 mm

Useful cross section (EF005140)	16000 mm ²
With cover (EF007965)	No
Side wall perforation (EF001122)	No
Mounting perforation in bottom (EF004545)	No
NATO (EF006059)	No
Model (EF000010)	Without connector
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Stainless steel, pickled (EF006388)	No
Material quality (EF001257)	Other
Surface protection (EF000139)	Continuously galvanized and coated
Colour (EF000007)	White
RAL (EF000116)	*
Weight (EF000167)	* kg/m
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*

Logistic

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	10 kg
Length pack 1	2000 mm
Width pack 1	398 mm
Height pack 1	40 mm
Pack 4 type	Pallet
Quantity pack 4	28
Weight pack 4	304 kg
Length pack 4	2000 mm
Width pack 4	820 mm
Height pack 4	580 mm
GTIN pack 4	77321677289904
Customs code	73089059
Net weight	10 kg
Country of origin	SE

Certification

ETIM class	EC000047
------------	----------

Status product

Product status	Commercialized
----------------	----------------

Product downloads

For the latest information check <http://wibe-group.com/cable-support-systems/cable-trays/length-material/cable-tray-w1-400-l-2m-pre-galv-white>

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.