

Cable ladder KHZSP-300 6m PG

Reference 734489



Activity Product family Brand Range Cable support systems Cable ladders Wibe KHZSP

Commercial and Web

Short description Cable ladder KHZSP-300 6m PG

Medium description Wibe - cable ladder - KHZSP-300 - open side

profiles and perforated rungs - 6 m - steel pre-

galvanized

Length6000 mmWidth300 mmHeight55 mmMaterialSteel

Material type or surface treatment Pre-galvanized

Corrosion class C2

Base

Activity Cable support systems

Product family Cable ladders

Brand Wibe Range KHZSP

GTIN 7321677344895

ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666) Profile (open)

Side wall perforation (EF001122)

Type of rung (EF001060) Perforated profile

Fixation rung (EF008307) Welded Height (EF000040) 55 mm

Width (EF000008)	300 mm
Length (EF001438)	6000 mm
Useful cross section (EF005140)	31680000 mm²
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Material quality (EF001257)	*
Surface protection (EF000139)	Continuously galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*
Weight (EF000167)	2.17 kg/m
Logistic	
Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	12.1 kg

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	12.1 kg
Length pack 1	6000 mm
Width pack 1	298 mm
Height pack 1	55 mm

GTIN pack 1 7321677344895

Pallet Pack 4 type Quantity pack 4 30 363 kg Weight pack 4 Length pack 4 6000 mm Width pack 4 640 mm 580 mm Height pack 4 73089059 Customs code Net weight 12.1 kg Country of origin SE

Certification

ETIM class EC000854

Status product

Product status Commercialized

Environmental

GWP Total A1-A3

34.364 kgC02e

oduct downloads			