

Cable ladder KHZ-600 6m HDG

Reference 768007



Activity
Product family
Brand
Range

Cable support systems
Cable ladders
Wibe
KHZ

Commercial and Web

Short description	Cable ladder KHZ-600 6m HDG
Medium description	Wibe - cable ladder - KHZ-600 - closed side profiles and round rungs - 6 m - steel hot-dip galvanized
Length	6000 mm
Width	600 mm
Height	55 mm
Material	Steel
Material type or surface treatment	Hot-dip galvanized
Corrosion class	C4

Base

Activity	Cable support systems
Product family	Cable ladders
Brand	Wibe
Range	KHZ
GTIN	7321677680078

ETIM (EC000854-Cable ladder/wide span cable ladder)

Type of side joist (EF007666)	Tube shape (closed)
Side wall perforation (EF001122)	Yes
Type of rung (EF001060)	Tube shape (closed)
Fixation rung (EF008307)	Fully revited

Height (EF000040)	55 mm
Width (EF000008)	600 mm
Length (EF001438)	6000 mm
Useful cross section (EF005140)	63954000 mm ²
Rung centre spacing (EF008185)	250 mm
Wide span model (EF006397)	No
Suitable for circuit integrity (EF007806)	No
Material (EF002169)	Steel
Material quality (EF001257)	*
Surface protection (EF000139)	Hot-dip galvanized
Colour (EF000007)	*
RAL (EF000116)	*
Max. safe working load according to IEC 61537 (EF016305)	* N/m
Span between supports according to IEC 61537 (EF015363)	* mm
Load test type according to IEC 61537 (EF015362)	*
Weight (EF000167)	3.6 kg/m

Logistic

Pack 1 type	Each
Quantity pack 1	1
Weight pack 1	21.6 kg
Length pack 1	6000 mm
Width pack 1	597 mm
Height pack 1	55 mm
Pack 4 type	Pallet
Quantity pack 4	15
Weight pack 4	324 kg
Length pack 4	6000 mm
Width pack 4	640 mm
Height pack 4	580 mm
Customs code	73089059
Net weight	21.6 kg
Country of origin	SE

Certification

ETIM class	EC000854
------------	----------

Status product

Product status	Commercialized
----------------	----------------

Environmental

GWP Total A1-A3	60.264 kgCO ₂ e
-----------------	----------------------------

Product downloads

For the latest information check <http://wibe-group.com/cable-support-systems/cable-ladders/length-material/cable-ladder-khz-600-6m-hdg>

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.