# Eaton 216537

# Catalog Number: 216537

Eaton Moeller® series M22 Surface mounting enclosure, 2 mounting locations

# General specifications

# Product Name

Eaton Moeller® series M22 Accessory Surface mounting enclosure

Product Length/Depth 80 mm

Product Width 120 mm

## Certifications

UL 508 CSA File No.: 012528 CSA CE UL Category Control No.: NKCR CSA-C22.2 No. 94-91 IEC/EN 60947-5 UL UL File No.: E29184 CSA Class No.: 3211-03 CSA-C22.2 No. 14-05 216537 EAN 4015082165376 Product Height

Catalog Number

56 mm

Product Weight 0.197 kg

Model Code M22-I2





# Omadused ja funktsioonid

#### Enclosure color

Gray

# Enclosure material

Plastic

Fitted with: High-grade steel screws

#### **Knockouts**

1 x M20 (cable entry knockout at the top) 2 x M20/25 (cable entry knockout at the side, 1 x each side) 2 x M20 (cable entry knockouts at the rear)

# Number of locations

2

## RAL-number

7035

# Kontaktid

Force for positive opening - min

0 N

# Üldist

Degree of protection IP67/IP69K NEMA 4X

Opening diameter

22.5 mm

## Ilmastikutingimused

Ambient operating temperature - min -25 °C

Ambient operating temperature - max 70 °C

# Kommunikatsioon

Connection to SmartWire-DT No

# Vastavusavaldus

10.2.2 Corrosion resistance

Meets the product standard's requirements.

10.2.3.1 Verification of thermal stability of enclosures

Meets the product standard's requirements.

10.2.3.2 Verification of resistance of insulating materials to normal heat

Meets the product standard's requirements.

10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects

Meets the product standard's requirements.

10.2.4 Resistance to ultra-violet (UV) radiation

Please enquire

#### 10.2.5 Lifting

Does not apply, since the entire switchgear needs to be evaluated.

#### 10.2.6 Mechanical impact

Does not apply, since the entire switchgear needs to be evaluated.

#### 10.2.7 Inscriptions

Meets the product standard's requirements.

10.3 Degree of protection of assemblies Does not apply, since the entire switchgear needs to be evaluated.

10.4 Clearances and creepage distances Meets the product standard's requirements.

10.5 Protection against electric shock Does not apply, since the entire switchgear needs to be evaluated.

10.6 Incorporation of switching devices and components Does not apply, since the entire switchgear needs to be evaluated.

10.7 Internal electrical circuits and connections Is the panel builder's responsibility.

10.8 Connections for external conductors

Is the panel builder's responsibility.

10.9.2 Power-frequency electric strength

Is the panel builder's responsibility.

10.9.3 Impulse withstand voltage

Is the panel builder's responsibility.

10.9.4 Testing of enclosures made of insulating material Is the panel builder's responsibility.

#### 10.10 Temperature rise

The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.

#### 10.11 Short-circuit rating

Is the panel builder's responsibility. The specifications for the switchgear must be observed.

#### 10.12 Electromagnetic compatibility

Is the panel builder's responsibility. The specifications for the switchgear must be observed.

#### 10.13 Mechanical function

The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

#### Lisainfo

eCAD model

ETN.216537.edz

#### Joonised

eaton-operating-surface-mounting-m22-accessory-dimensions-004.eps eaton-operating-surface-mounting-m22-accessory-3d-drawing-003.eps eaton-operating-button-symbol-007.eps

mCAD model eaton-aufbaugehaeuse-gr2-drawing.dwg DA-CS-aufbaugehaeuse\_gr\_2

DA-CD-aufbaugehaeuse\_gr\_2

eaton-aufbaugehaeuse-gr2-3d-model.stp

Multimedia RMQ small E-Stop emergency-stop button

Paigaldusjuhised

System overview Pilot devices - selection aid



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. Kõik õigused on kaitstud.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia